



## VÍCESVĚRNÉ NÝTY MULTIGRIP Plochá hlava




# HLINÍK/OCEL



TĚLO: Hliník: Al Mg 3,5  
TRN: Pozinkovaná ocel A1K



Testováno dle EN ISO 14589

| d1<br>Ø<br>m/m | L<br>Nominiální<br>m/m |  | d2<br>Ø<br>m/m | K<br>m/m | W<br>m/m | BALENI  |   | I<br>MAX.<br>m/m | E    |      | (N)  | (N)  | Kód zboží    |
|----------------|------------------------|---|----------------|----------|----------|---|---|------------------|------|------|------|------|--------------|
|                |                        |   |                |          |          |  |  |                  | MIN. | MAX. |      |      |              |
| 3,2            | 8,0                    | 3,30-3,50   | 6,20           | 1,10     | 1,80     | 500   | 4.000   | 10,10            | 0,5  | 5,0  | 630  | 980  | 01080003208  |
|                | 9,5                    |   |                |          |          | 500   | 4.000   | 11,60            | 1,5  | 6,5  |      |      | 01080003209  |
|                | 11,0                   |   |                |          |          | 500   | 4.000   | 13,10            | 4,0  | 8,0  |      |      | 01080003211  |
| 4,0            | 6,8                    | 4,10-4,30   | 8,20           | 1,40     | 2,20     | 500   | 4.000   | 10,00            | 0,5  | 3,5  | 1050 | 1400 | 010800040068 |
|                | 9,5                    |   |                |          |          | 500   | 3.000   | 12,00            | 1,0  | 4,0  |      |      | 01080004009  |
|                | 11,0                   |   |                |          |          | 500   | 3.000   | 13,00            | 2,0  | 6,0  |      |      | 01080004011  |
|                | 12,5                   |   |                |          |          | 500   | 3.000   | 15,00            | 4,0  | 9,0  |      |      | 01080004012  |
|                | 16,5                   |   |                |          |          | 500   | 3.000   | 19,00            | 6,0  | 13,0 |      |      | 01080004016  |
| 4,8            | 10,5                   | 4,90-5,10   | 9,90           | 1,60     | 2,75     | 250   | 2.000   | 14,00            | 1,5  | 6,5  | 1500 | 2300 | 01080004810  |
|                | 15,0                   |   |                |          |          | 250   | 2.000   | 18,00            | 4,5  | 11,0 |      |      | 01080004815  |
|                | 16,5                   |   |                |          |          | 250   | 1.500   | 20,00            | 6,5  | 12,5 |      |      | 01080004816  |
|                | 19,5                   |   |                |          |          | 250   | 1.500   | 23,00            | 8,5  | 14,5 |      |      | 01080004819  |
|                | 24,5                   |   |                |          |          | 200   | 1.200   | 28,00            | 12,5 | 20,0 |      |      | 01080004824  |





| d1<br>Ø<br>mm | L<br>Nominiální<br>mm | BARVENO BÍLE  | BARVENO ČERNÉ<br>RAL 9005 | OSTATNÍ BARVY | BALENI   |  |
|---------------|-----------------------|---------------|---------------------------|---------------|--|--|
|               |                       | Kód zboží     | Kód zboží                 | Kód zboží     |  |  |
| 3,2           | 8,5                   | 01080 BL3208  | 01080 N03208              | 01080 3208    | 500  | 4.000  |
|               | 11,0                  | 01080 BL3211  | 01080 N03211              | 01080 3211    | 500  | 4.000  |
| 4,0           | 6,8                   | 01080 BL40068 | 01080 N040068             | 01080 40068   | 500  | 4.000  |
|               | 9,5                   | 01080 BL4009  | 01080 N04009              | 01080 4009    | 500  | 3.000  |
|               | 12,5                  | 01080 BL4012  | 01080 N04012              | 01080 4012    | 500  | 3.000  |
|               | 16,5                  | 01080 BL4016  | 01080 N04016              | 01080 4016    | 500  | 3.000  |
| 4,8           | 10,5                  | 01080 BL4810  | 01080 N04810              | 01080 4810    | 250  | 2.000  |
|               | 15,0                  | 01080 BL4815  | 01080 N04815              | 01080 4815    | 250  | 2.000  |
|               | 16,5                  | 01080 BL4816  | 01080 N04816              | 01080 4816    | 250  | 1.500  |
|               | 24,5                  | 01080 BL4824  | 01080 N04824              | 01080 4824    | 200  | 1.200  |

## VÍCESVĚRNÉ NÝTY MULTIGRIP Plochá hlava




# HLINÍK/OCEL



TĚLO: Hliník: Al Mg 2,5  
TRN: Pozinkovaná ocel A1K




Testováno dle EN ISO 14589


| d1<br>Ø<br>mm | L<br>Nominiální<br>mm |  | d2<br>Ø<br>mm | K<br>mm | W<br>mm | BALENI  |   | I<br>Max.<br>mm | E    |      | (N)  | (N)  | Kód zboží   |
|---------------|-----------------------|---|---------------|---------|---------|---|---|-----------------|------|------|------|------|-------------|
|               |                       |   |               |         |         |  |  |                 | MIN. | MAX. |      |      |             |
| 6,4           | 12                    | 6,50  | 13,00         | 1,80    | 3,60    | 250   | 1.500   | 17,00           | 1,0  | 6,0  | 2800 | 4000 | 01080006412 |
|               | 15                    |   |               |         |         | 200   | 1.200   | 20,00           | 4,0  | 9,0  |      |      | 01080006415 |
|               | 18                    |   |               |         |         | 200   | 1.200   | 23,00           | 6,0  | 12,0 |      |      | 01080006418 |

# HLINÍK/OCEL

## VÍCESVĚRNÉ NÝTY MULTIGRIP Zapuštěná hlava 120°



TĚLO: Hliník Al Mg 2,5  
TRN: Pozinkovaná ocel A1K




Testováno dle EN ISO 14589

| d1<br>Ø<br>mm | L<br>Nominální<br>mm |           | d2<br>Ø<br>mm | K<br>mm | W<br>Ø<br>mm | BALENI |       | I<br>Max.<br>mm |            |            |      | Kód zboží   |             |
|---------------|----------------------|-----------|---------------|---------|--------------|--------|-------|-----------------|------------|------------|------|-------------|-------------|
|               |                      | mm        |               |         |              |        |       |                 | Min.<br>mm | Max.<br>mm | (N)  | (N)         |             |
| 3,2           | 9,5                  | 3,30-3,50 | 5,80          | 1,10    | 1,80         | 500    | 4.000 | 11,00           | 1,5 - 6,0  | 630        | 980  | 01090003209 |             |
| 4,0           | 11,0                 | 4,10-4,30 | 7,30          | 1,30    | 2,20         | 500    | 3.000 | 14,00           | 2,0 - 8,0  | 1050       | 1400 | 01090004011 |             |
| 4,8           | 12,0                 | 4,90-5,10 | 8,80          | 1,60    | 2,75         | 250    | 2.000 | 16,00           | 2,0 - 7,5  | 1500       | 2400 | 01090004812 |             |
|               | 250                  |           |               |         |              | 1.500  | 20,00 | 6,0 - 12,0      |            |            |      |             | 01090004816 |


| d1<br>Ø<br>m/m | L<br>Nominální<br>m/m | OSTATNÍ BARVY<br>Kód zboží | BALENI |       |
|----------------|-----------------------|----------------------------|--------|-------|
|                |                       |                            |        |       |
| 3,2            | 9,0                   | 01090 3209                 | 500    | 4.000 |
| 4,0            | 11,0                  | 01090 4011                 | 500    | 3.000 |
| 4,8            | 12,0                  | 01090 4812                 | 250    | 2.000 |
|                | 16,0                  | 01090 4816                 | 250    | 1.500 |

# HLINÍK/OCEL

## VÍCESVĚRNÉ NÝTY MULTIGRIP Velká hlava



TĚLO: Hliník Al Mg 2,5  
TRN: Pozinkovaná ocel A1K



Testováno dle EN ISO 14589

| d1<br>Ø<br>mm | L<br>Nominální<br>mm |           | d2<br>Ø<br>mm | K<br>mm | W<br>Ø<br>mm | BALENI |       | I<br>Max.<br>mm |            |            |      | Kód zboží   |             |             |
|---------------|----------------------|-----------|---------------|---------|--------------|--------|-------|-----------------|------------|------------|------|-------------|-------------|-------------|
|               |                      | mm        |               |         |              |        |       |                 | Min.<br>mm | Max.<br>mm | (N)  | (N)         |             |             |
| 3,2           | 8,0                  | 3,30-3,50 | 9,5           | 1,10    | 1,80         | 500    | 4.000 | 10,00           | 0,5 - 5,0  | 630        | 980  | 01100003208 |             |             |
| 4,0           | 13,0                 | 4,10-4,30 | 12,0          | 1,40    | 2,20         | 250    | 2.000 | 15,30           | 3,0 - 9,0  | 1050       | 1500 | 01100004013 |             |             |
|               | 250                  |           |               |         |              | 2.000  | 18,80 | 6,0 - 13,0      |            |            |      |             | 01100004016 |             |
| 4,8           | 10,5                 | 4,90-5,10 | 16,0          | 1,80    | 2,75         | 150    | 900   | 14,00           | 1,5 - 6,0  | 1500       | 2400 | 01100004810 |             |             |
|               | 17,0                 |           |               |         |              | 150    | 900   | 20,00           |            |            |      |             | 6,0 - 12,5  | 01100004817 |
|               | 25,0                 |           |               |         |              | 100    | 600   | 28,00           |            |            |      |             | 12,0 - 19,5 | 01100004825 |

| d1<br>Ø<br>mm | L<br>Nominální<br>mm | BARVENO BÍLE<br>Kód zboží | BARVENO ČERNĚ<br>RAL 9005<br>Kód zboží | OSTATNÍ BARVY<br>Kód zboží | BALENI |       |
|---------------|----------------------|---------------------------|--|----------------------------|--------|-------|
|               |                      |                           |  |                            |        |       |
| 4,0           | 13,0                 | 01100 BL4013              | 01100 N04013                           | 01100 4013                 | 250    | 2.000 |
|               | 16,0                 | 01100 BL4016              | 01100 N04016                           | 01100 4016                 | 250    | 2.000 |
| 4,8           | 10,5                 | 01100 BL4810              | 01100 N04810                           | 01100 4810                 | 150    | 900   |
|               | 17,0                 | 01100 BL4817              | 01100 N04817                           | 01100 4817                 | 150    | 900   |
|               | 25,0                 | 01100 BL4825              | 01100 N04825                           | 01100 4825                 | 100    | 600   |





# VÍCESVĚRNÉ NÝTY MULTIGRIP

## Plochá hlava




# HLINÍK/NEREZOVÁ OCEL





TĚLO: Hliník Al-Mg 2,5  
TRN: Nerezová ocel A2/304



Testováno dle EN ISO 14589


| d1<br>Ø<br>mm | L<br>Nominální<br>mm |  | d2<br>Ø<br>mm | K<br>mm | W<br>Ø<br>mm | BALENÍ  |  | I<br>Max.<br>mm | E           |      | Kód zboží |              |
|---------------|----------------------|---|---------------|---------|--------------|---|--|-----------------|-------------|------|-----------|--------------|
|               |                      |   |               |         |              |  vnitřní |  vnější |                 | MIN.        | MAX. |           |              |
| 3,2           | 8,0                  | 3,30-3,50   | 6,20          | 1,10    | 1,80         | 500   | 4.000  | 10,50           | 0,5 - 5,0   | 650  | 1000      | 01089003208  |
|               | 11,0                 |   |               |         |              | 500   | 4.000  | 13,00           | 4,0 - 8,0   |      |           | 01089003211  |
| 4,0           | 6,8                  | 4,10-4,30   | 8,20          | 1,40    | 2,20         | 500   | 4.000  | 10,00           | 0,5 - 3,5   | 1050 | 1500      | 010890040068 |
|               | 9,5                  |   |               |         |              | 500   | 3.000  | 12,00           | 1,0 - 6,0   |      |           | 01089004009  |
|               | 12,5                 |   |               |         |              | 500   | 3.000  | 15,00           | 4,0 - 9,0   |      |           | 01089004012  |
|               | 16,5                 |   |               |         |              | 500   | 3.000  | 19,00           | 6,0 - 13,0  |      |           | 01089004016  |
| 4,8           | 10,5                 | 4,90-5,10   | 9,90          | 1,80    | 2,75         | 250   | 2.000  | 14,00           | 1,5 - 6,5   | 1500 | 2300      | 01089004810  |
|               | 15,0                 |   |               |         |              | 250   | 2.000  | 18,00           | 4,5 - 11,0  |      |           | 01089004815  |
|               | 16,5                 |   |               |         |              | 250   | 1.500  | 20,00           | 6,5 - 12,5  |      |           | 01089004816  |
|               | 24,5                 |   |               |         |              | 200   | 1.200  | 28,00           | 12,5 - 20,0 |      |           | 01089004824  |




| d1<br>Ø<br>m/m | L<br>Nominální<br>m/m | BALENÍ  |   | OSTATNÍ BARVY |       |
|----------------|-----------------------|---|---|---------------|-------|
|                |                       |  vnitřní |  vnější | Kód zboží     |       |
| 3,2            | 8,0                   | 500   | 4.000   | 01089         | 3208  |
|                | 11,0                  | 500   | 4.000   | 01089         | 3211  |
| 4,0            | 6,8                   | 500   | 4.000   | 01089         | 40068 |
|                | 9,5                   | 500   | 3.000   | 01089         | 4009  |
|                | 12,5                  | 500   | 3.000   | 01089         | 4012  |
|                | 16,5                  | 500   | 3.000   | 01089         | 4016  |
| 4,8            | 10,5                  | 250   | 2.000   | 01089         | 4810  |
|                | 15,0                  | 250   | 2.000   | 01089         | 4815  |
|                | 16,5                  | 250   | 1.500   | 01089         | 4816  |
|                | 19,5                  | 200   | 1.200   | 01089         | 4819  |
|                | 24,5                  | 200   | 1.200   | 01089         | 4824  |

# HLINÍK/NEREZOVÁ OCEL

## VÍCESVĚRNÉ NÝTY MULTIGRIP Zapuštěná hlava 120°



TÉLO: Hliník Al Mg 2,5  
TRN: Nerezová ocel A2/304




Testováno dle EN ISO 14589

| d1<br>Ø<br>mm | L<br>Nominal<br>mm |           | d2<br>Ø<br>mm | K<br>mm | W<br>Ø<br>mm | BALENI |       | I<br>Max.<br>mm |            |           |      | Kód zboží |             |             |
|---------------|--------------------|-----------|---------------|---------|--------------|--------|-------|-----------------|------------|-----------|------|-----------|-------------|-------------|
|               |                    | mm        |               |         |              |        |       |                 | MIN.       | E<br>mm   | MÁX. | (N)       | (N)         |             |
| 3,2           | 9,5                | 3,30-3,50 | 5,80          | 1,10    | 1,80         | 500    | 4.000 | 11,00           |            | 1,5 - 6,0 |      | 700       | 980         | 01099003209 |
| 4,0           | 11,0               | 4,10-4,30 | 7,30          | 1,30    | 2,20         | 500    | 3.000 | 12,80           |            | 2,0 - 8,0 |      | 1200      | 1600        | 01099004011 |
| 4,8           | 12,0               | 4,90-5,10 | 8,80          | 1,60    | 2,75         | 500    | 3.000 | 14,20           |            | 2,0 - 7,5 |      | 1500      | 2400        | 01099004812 |
|               | 250                |           |               |         |              | 1.500  | 18,70 |                 | 6,0 - 12,0 |           |      |           | 01099004816 |             |


| d1<br>Ø<br>m/m | L<br>Nominal<br>m/m | BALENI |       | OSTATNÍ BARVY |      |
|----------------|---------------------|--------|-------|---------------|------|
|                |                     |        |       | Kód zboží     |      |
| 3,2            | 9,5                 | 500    | 4.000 | 01099         | 3209 |
| 4,0            | 11,0                | 500    | 3.000 | 01099         | 4011 |
| 4,8            | 12,0                | 250    | 2.000 | 01099         | 4812 |
|                | 16,5                | 250    | 1.500 | 01099         | 4816 |

# HLINÍK/NEREZOVÁ OCEL

## VÍCESVĚRNÉ NÝTY MULTIGRIP Velká hlava



TÉLO: Hliník Al Mg 2,5  
TRN: Nerezová ocel A2/304



Testováno dle EN ISO 14589

| d1<br>Ø<br>mm | L<br>Nominal<br>mm |           | d2<br>Ø<br>mm | K<br>mm | W<br>Ø<br>mm | BALENI |       | I<br>Max.<br>mm |      |             |      | Kód zboží   |      |             |
|---------------|--------------------|-----------|---------------|---------|--------------|--------|-------|-----------------|------|-------------|------|-------------|------|-------------|
|               |                    | mm        |               |         |              |        |       |                 | MIN. | E<br>mm     | MÁX. | (N)         | (N)  |             |
| 4,8           | 10,5               | 4,90-5,10 | 16,0          | 1,80    | 2,75         | 200    | 1.200 | 14,00           |      | 1,5 - 6,0   |      | 1500        | 2400 | 01109004810 |
|               | 17,0               |           |               |         |              | 150    | 900   | 20,00           |      | 6,0 - 12,5  |      | 01109004817 |      |             |
|               | 19,0               |           |               |         |              | 150    | 900   | 22,00           |      | 8,5 - 14,5  |      | 01109004819 |      |             |
|               | 25,0               |           |               |         |              | 100    | 600   | 28,00           |      | 12,0 - 19,5 |      | 01109004825 |      |             |

| d1<br>Ø<br>m/m | L<br>Nominal<br>m/m | BALENI |     | OSTATNÍ BARVY |      |
|----------------|---------------------|--------|-----|---------------|------|
|                |                     |        |     | Kód zboží     |      |
| 4,8            | 10,5                | 150    | 900 | 01109         | 4810 |
|                | 17,0                | 150    | 900 | 01109         | 4817 |
|                | 25,0                | 100    | 600 | 01109         | 4825 |