













TĚLO: Hliník Al Mg 5  
TRN: Lubrikovaná ocel



UNE - EN ISO 15973

Testováno dle EN ISO 14589

d1 Ø mm	L Nominální mm	 mm	d2 Ø mm	K mm	W Ø mm	BALENÍ		 MIN. E mm	 MAX. (N)	 MIN. (N)	 MAX. (N)	Kód zboží
						 vnitřní	 vnější					
3,2	6,5	3,30	6,40	1,00	1,65	500	4.000	0,5 - 2,0	1100	1450		01110003206
	8,0					500	4.000	2,0 - 3,5				01110003208
	9,5					500	4.000	3,5 - 5,0				01110003209
	11,0					500	4.000	5,0 - 6,5				01110003211
	12,5					500	4.000	6,5 - 8,0				01110003212
4,0	8,0	4,10	7,90	1,40	2,20	500	4.000	0,5 - 3,5	1600	2200		01110004008
	9,5					500	4.000	3,5 - 5,0				01110004010
	11,0					500	4.000	5,0 - 6,5				01110004011
	12,5					500	3.000	6,5 - 8,0				01110004013
	14,5					500	3.000	8,0 - 10,0				01110004015
4,8	8,5	4,90	9,30	1,70	2,65	500	3.000	0,5 - 3,5	2200	3100		01110004808
	9,5					500	3.000	3,5 - 5,0				01110004810
	11,0					500	3.000	5,0 - 6,5				01110004811
	13,0					250	2.000	6,5 - 8,0				01110004813
	14,5					250	2.000	8,0 - 9,5				01110004814
	16,0					250	2.000	9,5 - 11,0				01110004816
	18,0					250	1.500	11,0 - 13,0				01110004818
	21,0					250	1.500	13,0 - 16,0				01110004821
	25,0					200	1.200	16,0 - 20,0				01110004825
6,4	12,5	6,50	12,50	2,40	3,60	250	1.500	1,5 - 6,5	3600	4900		01110006412
	15,5					200	1.200	6,5 - 9,5				01110006415

d1 Ø m/m	L Nominální m/m	OSTATNÍ BARVY Kód zboží		BALENÍ	
		 vnitřní	 vnější	 vnitřní	 vnější
3,2	6,5	01110	3206	500	4.000
	8,0	01110	3208	500	4.000
	9,5	01110	3209	500	4.000
	11,0	01110	3211	500	4.000
	12,5	01110	3212	500	4.000
4,0	8,0	01110	4008	500	4.000
	9,5	01110	4010	500	4.000
	11,0	01110	4011	500	4.000
	12,5	01110	4013	500	3.000
	14,5	01110	4014	500	3.000
4,8	8,5	01110	4808	500	3.000
	9,5	01110	4810	500	3.000
	11,0	01110	4811	500	3.000
	13,0	01110	4813	250	2.000
	14,5	01110	4814	250	2.000
	16,0	01110	4816	250	2.000
	18,0	01110	4818	250	1.500
	21,0	01110	4821	250	1.500
	25,0	01110	4825	200	1.200




## TĚSNÍCÍ NÝTY

### Zapuštěná hlava 120°

## HLINÍK/OCEL






TĚLO: Hliník Al Mg 5  
TRN: Lubrikovaná ocel



UNE - EN ISO 15974

Testováno dle EN ISO 14589

d1 Ø mm	L Nominální mm		d2 Ø mm	K mm	W Ø mm	BALENI		E		(N)	(N)	Kód zboží
						 vnitřní	 vnější	MIN.	MAX.			
4,8	10,0	4,90	9,50	1,80	2,65	500	3.000	4,5 - 6,0	2200	3100	01112004810	
	12,5					500	3.000	6,0 - 8,0			01112004813	
	14,5					250	2.000	8,0 - 10,0			01112004814	
	16,0					250	2.000	10,0 - 12,0			01112004816	
	22,0					250	1.500	13,0 - 18,0			01112004822	



## TĚSNÍCÍ NÝTY

### Velká hlava




## HLINÍK/OCEL



TĚLO: Hliník Al Mg 5  
TRN: Lubrikovaná ocel




Testováno dle EN ISO 14589

d1 Ø mm	L Nominální mm		d2 Ø mm	K mm	W Ø mm	BALENI		E		(N)	(N)	Kód zboží
						 vnitřní	 vnější	MIN.	MAX.			
4,8	13,0	4,90	14,00	1,80	2,65	250	1.500	6,5 - 8,0	2200	3100	01120004813	
	18,0					200	1.200	11,0 - 13,0			01120004818	


# HLINÍK/NEREZOVÁ OCEL

## TĚSNÍČÍ NÍTY Plochá hlava








TĚLO: Hliník Al Mg 5

TRN: Nerezová ocel A2/304




Testováno dle EN ISO 14589

d1 Ø mm	L Nominalní mm	 mm	d2 Ø mm	K mm	W Ø mm	BALENI		E mm		 (N)	 (N)	Kód zboží
						 vnitřní	 vnější	MIN.	MÁX.			
3,2	6,5	3,30	6,40	1,00	1,70	500	4.000	0,5 - 2,0	1100	1450	01119003207	
	8,0					500	4.000	2,0 - 3,5			01119003208	
	9,5					500	4.000	3,5 - 5,0			01119003209	
	12,5					500	4.000	6,5 - 8,0			01119003212	
4,0	8,0	4,10	7,90	1,40	2,20	500	4.000	0,5 - 3,5	1600	2200	01119004008	
	9,5					500	4.000	3,5 - 5,0			01119004010	
	11,0					500	4.000	5,0 - 6,5			01119004011	
	12,5					500	3.000	6,5 - 8,0			01119004013	
4,8	8,0	4,90	9,30	1,70	2,65	500	3.000	0,5 - 3,5	2200	3100	01119004808	
	9,5					500	3.000	3,5 - 5,0			01119004810	
	11,0					500	3.000	5,0 - 6,5			01119004811	
	13,0					250	2.000	6,5 - 8,0			01119004813	
	14,5					250	2.000	8,0 - 9,5			01119004814	
	16,0					250	2.000	9,5 - 11,0			01119004816	
	18,0					250	1.500	11,0 - 13,0			01119004818	
	21,0					250	1.500	13,0 - 16,0			01119004821	
25,0					200	1.200	16,0 - 20,0			01119004825		

Pozn: Na dotaz umíme nabídnout výrobu dalších rozměrů a lakování dle RAL.


# HLINÍK/HLINÍK

## TĚSNÍČÍ NÍTY Plochá hlava








TĚLO: Hliník

TRN: Hliník



UNE - EN ISO 15975

Testováno dle EN ISO 14589

d1 Ø mm	L Nominalní mm	 mm	d2 Ø mm	K mm	W Ø mm	BALENI		E mm		 (N)	 (N)	Kód zboží
						 vnitřní	 vnější	MIN.	MÁX.			
3,2	8,0	3,30	6,40	1,00	1,80	500	4.000	0,5 - 2,0	460	540	01190003208	
	9,5					500	4.000	2,0 - 5,0			01190003209	
	11,0					500	4.000	5,0 - 6,5			01190003211	
4,0	9,5	4,10	7,90	1,40	2,20	500	4.000	3,5 - 5,0	720	760	01190004009	
	12,5					500	3.000	5,0 - 8,0			01190004012	
4,8	9,5	4,90	9,30	1,70	2,65	500	3.000	3,5 - 5,0	1000	1400	01190004809	
	11,5					500	3.000	5,0 - 6,5			01190004811	
	12,5					250	2.000	6,5 - 8,0			01190004812	
	14,5					250	2.000	8,0 - 9,5			01190004814	
	18,0					250	1.500	9,5 - 13,0			01190004818	